



Technical Data Sheet

rCb Grade E312

Quality Parameters	UOM	Testing Standards	E312
Physical Form		Super Fine Powder	
DBP Absorption no.	cc/100gm	ASTM D-2414	75-85
Iodine Adsorption no.	Mg/gm	ASTM D-1510	90-110
Toluene Discoloration	% transmittance	ASTM D-1618	>87
Pour Density	kg/m ³	ASTM D-1513	210-250
Moisture (Heat Loss)	%	ASTM D-1509	< 1
pH		ASTM D-1512	6.75-7.75
Ash Content *	%	ASTM D-1506	10 ± 2
Silica Content	%	ASTM D-1619	<12
Sulphur	%	ASTM D-1619	<2

*Silica Content is mentioned separately

§ Ash includes all Inorganic components other than silica